

Attorney Docket No. 9099-18

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Black et al. U.S. Patent No.: 7,510,699 B2  
Application No.: 10/779,907 Issued: March 31, 2009  
Filed: February 17, 2004 Confirmation No: 8994  
Title: IN VIVO FLUORESCENCE SENSORS, SYSTEMS, AND RELATED METHODS  
OPERATING IN CONJUNCTION WITH FLUORESCENT ANALYTES

June 8, 2009

Commissioner for Patents  
Attn: Certificate of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450


**REQUEST FOR ENTRY OF CERTIFICATE OF CORRECTION UNDER  
No. 35 U.S.C §254 AND 37 C.F.R. §1.322**

Sir:

The Assignee of record for the above-referenced patent hereby requests, pursuant to 35 U.S.C §254 and 37 C.F.R. §1.322, that a Certificate of Correction be issued. This request is made in order to correct the mistakes incurred through the fault of the U.S. Patent and Trademark Office. The mistakes appearing in the patent are set forth with corrections on the Certificate of Correction enclosed herewith.

No fee is believed due. However, the Commissioner is authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-0220.


Respectfully submitted,

  
Julie H. Richardson  
Registration No. 40,142

Myers Bigel Sibley & Sajovec, P.A.  
P. O. Box 37428, Raleigh, NC 27627  
Telephone: (919) 854-1400  
Facsimile: (919) 854-1401  
Customer No. 20792

**CERTIFICATION OF ELECTRONIC TRANSMISSION**

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4) to the U.S. Patent and Trademark Office on June 8, 2009.

  
Jessica M. French

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,510,699  
APPLICATION NO.: 10/779,907  
ISSUE DATE: March 31, 2009  
INVENTOR(S) : Black et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 3, Foreign Patent Documents:

Please correct "WO98/43701 8/1998"  
To read -- WO98/43701 10/1998 --

In the Claims:

Column 41, Claim 59, Line 23:

Please correct "configured to excitation"  
to read -- configured to emit an excitation --

MAILING ADDRESS OF SENDER:  
Myers, Bigel, Sibley & Sajovec  
P.O. Box 37428  
Raleigh, NC 27627